
## Single Row Angular Contact Ball Bearings

7200 Series-7202DT,7202DF,7202DB,7202C







## WUXI GUANGQIANG BEARING TRADE CO.,LTD

Bearing Numbers	
Single row	<b>7202C</b>
DB	7202DB
DF	7202DF
DT	7202DT
Dimensões principais (mm)	
d	15
D	35
В	11
r (min)	0.6
r1(min)	0.3
Basic load ratings(N)	
Cr	8650
Cor	4550
Classificações básicas de carga (kgf)	
Cr	885
Cor	460
Valor	
fo	13.2
Velocidade limite (rpm)	
Graxa	32000
Óleo	45000
Distance of action point	c(mm)
uma	8.8
Abutment and fillet dim	
da (min)	20
Da (max)	30
ra (max)	0.6
Peso	
(kg)	0.052
Basic load ratings(duple	
Cr	14100
Cor	9050
Basic load ratings(duple	
Cr	1440
Cor	925
Limiting Speed(duplex bearing) (rpm)	
Graxa	26000
Óleo	36000
Distance of action point	•
back-to-back	17.7
arrangement	4.2
face-to-face	4.3
arrangement	
Installation dimensions(duplex bearing)	
db (min)	1-1 / 16
Db(max)	32.5
rb (max)	0.3

## **GQZ high quality 7200 Series Single Row Angular Contact Ball Bearings**

Angular contact ball bearings have inner and outer ring raceways that are displaced relative to each other in the direction of the bearing axis. This means that these bearings are designed to accommodate combined loads, i.e. simultaneously acting radial and axial loads.

The axial load carrying capacity of angular contact ball bearings increases as the contact angle increases. The contact angle is defined as the angle between the line joining the points of contact of the ball and the raceways in the radial plane, along which the combined load is transmitted from one raceway to another, and a line perpendicular to the bearing axis

The most commonly used designs are:

single row angular contact ball bearings

double row angular contact ball bearings

four-point contact ball bearings

Wuxi Guangqiang Bearing Trade Co.,Ltd-Tel:86-510-82601571-Email:gq@gqbearing.com,shary@gqb earing.com-http://www.bearing-asia.com